XP-002062024

1/1 - (C) WPI / DERWENT

AN - 93-251728 ç32!

AP - HU910003044 910924; HU910003044 910924; HU--62771

PR - HU910003044 910924

TI - Animal feed mixt. additive based on a soybean and fat mixt. - is produced by hydrothermally treating ground soybean, extruding to form flakes, mixing with fat in tubular mill, etc.

IW - ANIMAL FEED MIXTURE ADDITIVE BASED SOY FAT MIXTURE PRODUCE HYDROTHERMAL TREAT GROUND SOY EXTRUDE FORM FLAKE MIX FAT TUBE MILL

IN - BERINE S E; FODOR I; SUSAN L; SZUCS L; BERINE S

PA - (SUSA-I) SUSAN L

- (BERI-I) BERINE S

- (FODO-I) FODOR I

- (SZUC-I) SZUCS L

PN - HU62771 A 930628 DW9332 A23K1/16 000pp

- HU208618 B 931228 DW9405 A23K1/16 000pp

ORD - 1993-06-28

IC - A23K1/16 ; A23L1/20

FS - CPI

DC - D13

AB

- HU--62771 Ground soy bean is subjected to hydrothermic treatment and extruded to form flakes. Its temp. is set at 60-70 deg. C and simultaneously the temp. of fat is set at 40-50 deg. The flaked soy bean is mixed with 15-25% by mass of fat in a conventional tubular mill, having 350 mm dia. drum and adjustable rotary knife running at 1000 rpm, with the product stream velocity set at 0.3m/sec.

- Equipment including the known soy-bean flake producing extruder, comprises: - extruder, discharges soy-bean flakes on a moving belt cooler on which a flake temp. of 60-70 deg.C is established. The cooler feeds flakes into the buffer tank(s) which is discharged by a screw feeder into one opening of the tubular mixer. The other opening of the mixer is supplied with fat through measuring and control devices. Fat is supplied from a heated tank which maintains the fat temp. at 40-50 deg.C. A pressure control valve and a pressure indicator (10) are located at the discharge of the fat heater tank. The discharge of the tubular mixer can be connected to an automatic weigh-scale

METHOD AND APPARATUS FOR PRODUCING THE MIXTURE OF SOYA AND FATUSABLE FOR FODDER MIXTURES

Publication number: HU62771

Publication date:

1993-06-28

Inventor:

SUSAN LAJOS; SZUECS LASZLO; BERINE SARKADI

EVA; FODOR IMRE

Applicant:

SUSAN LAJOS; SZUECS LASZLO; BERINE SARKADI

EVA; FODOR IMRE

Classification:

- international:

A23K1/16; A23L1/20; A23K1/16; A23L1/20; (IPC1-7):

A23K1/16; A23L1/20

- European:

Application number: HU19910003044 19910924 Priority number(s): HU19910003044 19910924

Report a data error he

Also published as:

HU208618 (I

Abstract of HU62771

Ground soy bean is subjected to hydrothermic treatment and extruded to form flakes. Its temp. is set at 60-70 deg. C and simultaneously the temp. of fat is set at 40-50 deg. The flaked soy bean is mixed with 15-25% by mass of fat in a conventional tubular mill, having 350 mm dia. drum and adjustable rotary knil running at 1000 rpm, with the product stream velocity set at 0.3m/sec. - Equipment including the known soy-bean flake producing extruder, comprises:- extruder, discharges soy-bean flakes on a moving belt cooler on which a flake temp. of 60-70 deg. C is established. The cooler feeds flakes into the buffer tank(which is discharged by a screw feeder into one opening of the tubular mixer. The other opening of the mixer is supplied with fat through measuring and control devices. Fat is supplied from a heated tank which maintains the fat temp. at 40-50 deg. C. A pressure control valve and a pressure indicator (10) are located at the discharge of the fat heater tank. The discharge of the tubular mixer can be connected to an automatic weigh-scale

Data supplied from the esp@cenet database - Worldwide